

Electronic Supplementary Material

ESM 1. Mean values, standard deviations and the 95% confidence intervals of the SDQ total difficulties score and the SDQ subscales in the KiGGS baseline study and KiGGS wave 2 separated for gender and age.

		KiGGS baseline study			KiGGS wave 2		
		<i>M</i>	<i>SE</i>	<i>95 % - CI</i>	<i>M</i>	<i>SE</i>	<i>95 % - CI</i>
SDQ Total	Total	10,08	0,06	9,95–10,22	9,70	0,08	9,53–9,86
Difficulties	Girls	10,54	0,10	10,35–10,73	10,18	0,11	9,96–10,40
Score	11 years	9,87	0,26	9,36–10,38	9,92	0,37	9,19–10,65
	12 years	10,27	0,27	9,74–10,8	9,40	0,24	8,91–9,88
	13 years	10,22	0,26	9,70–10,73	9,20	0,25	8,71–9,70
	14 years	10,86	0,26	10,34–11,38	10,63	0,30	10,04–11,22
	15 years	10,93	0,25	10,44–11,42	10,67	0,31	10,05–11,28
	16 years	10,76	0,25	10,26–11,26	10,91	0,32	10,28–11,55
	17 years	10,77	0,31	10,17–11,37	10,34	0,30	9,75–10,94
	Boys	9,66	0,08	9,49–9,82	9,23	0,12	9,00–10,13
	11 years	9,65	0,27	9,11–10,19	10,32	0,36	9,61–11,03
	12 years	9,92	0,26	9,42–10,43	8,67	0,27	8,13–9,20
	13 years	9,79	0,24	9,31–10,27	9,49	0,32	8,85–10,13
	14 years	9,61	0,23	9,15–10,06	9,28	0,28	8,73–9,83
	15 years	9,38	0,18	9,02–9,74	8,79	0,26	8,28–9,30
	16 years	9,51	0,26	9,01–10,02	9,04	0,24	8,56–9,52
	17 years	9,75	0,24	9,29–10,22	9,12	0,31	8,50–9,74
Emotional symptoms	Total	2,45	0,03	2,40–2,51	2,62	0,03	2,55–2,69
	Girls	2,98	0,04	2,90–3,07	3,30	0,05	3,20–3,39
	11 years	2,37	0,09	2,19–2,55	2,61	0,11	2,38–2,84
	12 years	2,70	0,10	2,49–2,90	2,80	0,11	2,58–3,01
	13 years	2,53	0,11	2,31–2,75	2,74	0,14	2,46–3,01
	14 years	3,01	0,11	2,79–3,23	3,43	0,12	3,19–3,66
	15 years	3,38	0,11	3,16–3,60	3,77	0,14	3,50–4,04
	16 years	3,37	0,12	3,14–3,61	3,85	0,15	3,55–4,14
	17 years	3,39	0,14	3,11–3,67	3,70	0,15	3,40–4,01
	Boys	1,96	0,03	1,90–2,02	1,97	0,05	1,87–2,06
	11 years	1,98	0,09	1,80–2,16	2,20	0,12	1,97–2,44
	12 years	1,99	0,09	1,81–2,17	1,76	0,09	1,59–1,94
	13 years	1,91	0,09	1,74–2,08	1,90	0,11	1,68–2,11
	14 years	1,84	0,08	1,69–1,99	1,90	0,10	1,70–2,10
	15 years	1,93	0,07	1,78–2,07	1,78	0,13	1,53–2,03

		KiGGS baseline study			KiGGS wave 2		
		<i>M</i>	<i>SE</i>	<i>95 % - CI</i>	<i>M</i>	<i>SE</i>	<i>95 % - CI</i>
	16 years	1,98	0,09	1,81–2,15	2,08	0,11	1,86–2,29
	17 years	2,07	0,09	1,89–2,25	2,13	0,14	1,86–2,41
Peer	Total	2,01	0,02	1,97–2,06	2,04	0,03	1,98–2,10
relation-	Girls	2,04	0,03	1,97–2,11	2,07	0,04	1,98–2,15
ship	11 years	2,12	0,09	1,95–2,28	1,88	0,12	1,65–2,10
problems	12 years	1,98	0,09	1,80–2,16	1,64	0,08	1,48–1,80
	13 years	2,00	0,09	1,81–2,18	1,74	0,08	1,58–1,91
	14 years	2,08	0,09	1,90–2,25	2,15	0,11	1,93–2,37
	15 years	1,98	0,08	1,82–2,14	2,23	0,11	2,02–2,45
	16 years	2,02	0,08	1,86–2,17	2,43	0,11	2,21–2,64
	17 years	2,11	0,08	1,95–2,26	2,31	0,09	2,13–2,48
	Boys	1,99	0,03	1,92–2,05	2,02	0,04	1,94–2,10
	11 years	2,08	0,09	1,90–2,25	2,10	0,15	1,82–2,39
	12 years	2,04	0,09	1,87–2,21	1,67	0,11	1,45–1,88
	13 years	2,00	0,08	1,84–2,16	1,97	0,11	1,75–2,19
	14 years	2,07	0,08	1,91–2,22	2,02	0,10	1,82–2,21
	15 years	1,79	0,07	1,65–1,92	1,99	0,09	1,81–2,17
	16 years	1,87	0,08	1,72–2,03	2,08	0,09	1,90–2,27
	17 years	2,09	0,09	1,91–2,26	2,28	0,11	2,05–2,51
Conduct	Total	1,99	0,02	1,94–2,03	1,65	0,02	1,60–1,70
problems	Girls	1,90	0,03	1,85–1,96	1,55	0,03	1,48–1,61
	11 years	1,76	0,07	1,62–1,90	1,72	0,10	1,53–1,91
	12 years	1,82	0,08	1,67–1,97	1,44	0,07	1,31–1,57
	13 years	1,93	0,07	1,79–2,06	1,38	0,06	1,25–1,51
	14 years	2,01	0,08	1,85–2,16	1,71	0,10	1,52–1,90
	15 years	2,00	0,07	1,87–2,13	1,54	0,07	1,4–1,68
	16 years	1,94	0,08	1,77–2,10	1,66	0,08	1,5–1,81
	17 years	1,89	0,07	1,74–2,03	1,38	0,08	1,23–1,53
	Boys	2,07	0,03	2,01–2,12	1,75	0,03	1,68–1,81
	11 years	1,91	0,07	1,76–2,05	1,94	0,08	1,78–2,1
	12 years	2,04	0,08	1,88–2,2	1,71	0,09	1,53–1,89
	13 years	2,07	0,08	1,9–2,24	1,84	0,09	1,66–2,03
	14 years	1,99	0,08	1,84–2,14	1,82	0,08	1,65–1,98
	15 years	2,11	0,07	1,98–2,25	1,72	0,08	1,56–1,88
	16 years	2,15	0,09	1,98–2,32	1,68	0,09	1,51–1,85

	17 years	2,16	0,08	2,00–2,32	1,55	0,08	1,39–1,72
Hyper-activity/ in-attention	Total	3,62	0,03	3,57–3,68	3,38	0,04	3,31–3,46
	Girls	3,61	0,04	3,54–3,69	3,26	0,05	3,17–3,35
	11 years	3,62	0,11	3,40–3,84	3,72	0,16	3,41–4,03
	12 years	3,77	0,11	3,57–3,98	3,53	0,12	3,30–3,77
	13 years	3,77	0,12	3,53–4,00	3,31	0,12	3,08–3,54
	14 years	3,77	0,11	3,54–3,99	3,33	0,13	3,08–3,58
	15 years	3,57	0,11	3,36–3,79	3,12	0,10	2,92–3,33
	16 years	3,43	0,11	3,21–3,65	2,99	0,10	2,78–3,19
	17 years	3,39	0,11	3,16–3,61	2,94	0,12	2,69–3,18
	Boys	3,64	0,04	3,57–3,72	3,50	0,06	3,39 – 3,60
	11 years	3,69	0,12	3,46–3,93	4,08	0,16	3,76–4,39
	12 years	3,85	0,12	3,61–4,08	3,53	0,13	3,28–3,78
	13 years	3,82	0,11	3,60–4,03	3,78	0,14	3,51–4,06
	14 years	3,71	0,11	3,50–3,92	3,56	0,12	3,33–3,79
	15 years	3,55	0,10	3,36–3,75	3,30	0,12	3,07–3,53
	16 years	3,51	0,11	3,29–3,73	3,20	0,13	2,94–3,47
	17 years	3,44	0,11	3,22–3,66	3,13	0,15	2,84–3,42
Prosocial behaviour	Total	7,75	0,02	7,71–7,80	8,11	0,03	8,05–8,17
	Girls	8,25	0,03	8,19–8,31	8,47	0,04	8,39–8,55
	11 years	8,17	0,08	8,01–8,32	8,69	0,09	8,50–8,87
	12 years	8,32	0,08	8,16–8,48	8,60	0,08	8,45–8,76
	13 years	8,19	0,08	8,05–8,34	8,48	0,09	8,30–8,67
	14 years	8,00	0,09	7,83–8,18	8,19	0,10	8,00–8,38
	15 years	8,27	0,07	8,12–8,41	8,35	0,12	8,11–8,58
	16 years	8,37	0,08	8,21–8,53	8,37	0,09	8,18–8,56
	17 years	8,39	0,08	8,22–8,55	8,66	0,09	8,48–8,84
	Boys	7,29	0,03	7,22–7,36	7,76	0,04	7,68–7,84
	11 years	7,50	0,10	7,31–7,70	7,86	0,09	7,68–8,04
	12 years	7,36	0,09	7,17–7,54	7,91	0,12	7,68–8,15
	13 years	7,07	0,10	6,88–7,26	7,68	0,11	7,47–7,89
	14 years	7,08	0,09	6,91–7,25	7,67	0,11	7,45–7,89
	15 years	7,27	0,09	7,09–7,46	7,52	0,12	7,28–7,76
	16 years	7,40	0,11	7,19–7,61	7,89	0,11	7,67–8,11
	17 years	7,35	0,10	7,15–7,54	7,78	0,13	7,53–8,03