

**Tabelle E6.** Post-hoc Vergleiche für die Fehlerkategorien im Rahmen der Messwiederholungs-ANOVA im Drei-Gruppen-Fall

Paarweiser Vergleich der Fehlerkategorien		Mittlere Differenz	Standardfehler	<i>p</i>
A	H	7.72	0.47	< .0001
	LV	2.31	0.43	< .0001
	U	8.21	0.47	< .0001
	SW	8.34	0.44	< .0001
	GK	-9.57	0.67	< .0001
	LF	-2.85	0.45	< .0001
	AW	8.47	0.48	< .0001
H	LV	-5.41	0.33	< .0001
	U	0.48	0.13	.011
	SW	0.61	0.20	.079
	GK	-17.29	0.46	<.0001
	LF	-10.58	0.31	<.0001
	AW	0.75	0.17	.0005
	U	5.99	0.34	<.0001
LV	SW	6.03	0.36	<.0001
	GK	-11.88	0.55	<.0001
	LF	-5.16	0.33	<.0001
	AW	6.16	0.35	<.0001
	U	0.13	0.20	1.00
U	GK	-17.78	0.47	<.0001
	LF	-11.06	0.31	<.0001
	AW	0.26	0.17	1.00
	SW	-17.90	0.53	<.0001
SW	LF	-11.19	0.37	<.0001
	AW	0.14	0.20	1.00
	GK	6.71	0.51	<.0001
GK	AW	18.04	0.51	<.0001
	LF	11.32	0.34	<.0001

*Anmerkungen.* Unter Berücksichtigung der Bonferroni-Korrektur sind p-Werte < .0018 statistisch signifikant.