Electronic Supplementary Material 1

Indicators	1	2	3	4	5	6	7	8	9	10	11
1 – Suicide rate		02	.15	12	33	04	.27	.00	01	03	.03
2 – Population size	02		10	.07	.42	.04	31	.01	.02	.11	02
3 – Percentage of male inhabitants	.15	10		.06	23	.06	.15	11	.01	.15	07
4 – Number of marriages per 1,000 inhabitants	12	.07	.06		.11	02	.21	.05	03	.21	21
5 – Number of divorces per 1,000 inhabitants	33	.42	23	.11		.15	41	.09	07	.01	.04
6 – Percentage of people with low social support ¹	04	.04	.06	02	.15		10	.12	.05	.10	.13
7 – Percentage of people with high neighborhood cohesion ²	.27	31	.15	.21	41	10		01	01	43	.23
8 – Percentage of people with risky single-occasion drinking ³	.00	.01	11	.05	.09	.12	01		07	.11	04
9 – Percentage of people with a low level of education	01	.02	.01	03	07	.05	01	07		03	.13
10 – Percentage of active population	03	.11	.15	.21	.01	.10	43	.11	03		56
11 – Percentage of the unemployed	.03	02	07	21	.04	.13	.23	04	.13	56	
12 – Net income per capita (EUR)	10	.10	14	.14	.21	13	01	.09	.34	.00	30
13 – Number of sick leave days per capita	.21	.06	.29	06	15	04	.13	12	03	07	.26
14 – Number of sick leave days due to mental condition per capita	.10	.07	01	18	.09	01	04	03	.17	11	.12

Pairwise robust coefficients of correlations between the suicide rate and different indicators at the level of municipalities (N = 212)

https://doi.org/10.1027/0227-5910/a000742

15 – Number of No5B takers per 1,000 inhabitants	.01	.00	06	39	27	.04	.31	13	03	62	.67
16 – Number of No6A takers per 1,000 inhabitants	.15	30	.02	16	31	.18	.17	01	.11	33	.25
17 – Number of general practitioners per 1,000 inhabitants	04	.55	10	05	.28	.11	30	07	.35	17	.19

^{1/2/3}Data missing for 12/1/2 municipalities.

ESM 1 – Continued

Indicators	12	13	14	15	16	17
1 – Suicide rate	10	.21	.10	.01	.15	04
2 – Population size	.10	.06	.07	.00	30	.55
3 – Percentage of male inhabitants	14	.29	01	06	.02	10
4 – Number of marriages per 1,000 inhabitants	.14	06	18	39	16	05
5 – Number of divorces per 1,000 inhabitants	.21	15	.09	27	31	.28
6 – Percentage of people with low social support ¹	13	04	01	.04	.18	.11
7 – Percentage of people with high neighborhood cohesion ²	01	.13	04	.31	.17	30
8 – Percentage of people with risky single-occasion drinking ³	.09	12	03	13	01	07
9 – Percentage of people with a low level of education	.34	03	.17	03	.11	.35
10 – Percentage of active population	.00	07	11	62	33	17
11 – Percentage of the unemployed	30	.26	.12	.67	.25	.19

12 – Net income per capita (EUR)	—	31	.01	26	30	.09
13 – Number of sick leave days per capita	31		.60	.32	.33	.04
14 – Number of sick leave days due to mental condition per capita	.01	.60	—	.21	.39	.13
15 – Number of No5B takers per 1,000 inhabitants	26	.32	.21	—	.55	.15
16 – Number of No6A takers per 1,000 inhabitants	30	.33	.39	.55		.03
17 – Number of general practitioners per 1,000 inhabitants	.09	.04	.13	.15	.03	