

Table E1: Factor loadings after Varimax rotation

Scale	Item	1	2	3	4	5	communalities
Impairments	1	0.642	-0.263	0.090	0.057	0.209	0.536
Impairments	2	0.601	-0.213	0.110	0.069	0.265	0.493
Impairments	3	0.561	-0.268	0.223	0.072	0.343	0.560
Impairments	4	0.725	-0.206	0.019	0.064	0.174	0.603
Impairments	5	0.521	-0.319	0.192	0.103	0.299	0.510
Impairments	6	0.593	-0.174	0.158	-0.060	0.171	0.439
Impairments	7	0.618	-0.235	0.205	0.040	0.093	0.489
Impairments	8	0.621	-0.236	0.299	0.025	0.277	0.608
Growth	1	-0.197	0.806	-0.050	0.144	0.033	0.714
Growth	2	-0.189	0.790	-0.080	0.226	0.019	0.718
Growth	3	-0.158	0.785	-0.076	0.208	0.133	0.707
Growth	4	-0.215	0.726	-0.132	0.183	0.211	0.669
Guilt	1	0.233	-0.169	0.791	0.047	0.038	0.713
Guilt	2	0.205	-0.021	0.828	0.020	0.096	0.737
Guilt	3	0.214	-0.016	0.712	-0.026	0.128	0.570
Guilt	4	0.260	-0.127	0.802	0.024	-0.005	0.727
Empathy	1	-0.148	0.411	0.035	0.567	0.050	0.516
Empathy	2	0.004	0.154	-0.082	0.832	0.052	0.725
Empathy	3	-0.055	0.217	0.085	0.760	-0.015	0.636
Empathy	4	0.004	0.065	0.015	0.868	-0.006	0.759
Nearness	1	0.055	0.280	-0.020	0.087	0.703	0.583

Nearness	2	0.083	-0.160	0.126	-0.059	0.636	0.456
Nearness	3	0.256	0.067	0.051	0.211	0.667	0.562
Nearness	4	0.118	0.238	0.038	-0.149	0.583	0.434
GDS-S	1	0.654	0.047	0.183	-0.004	-0.054	0.467
GDS-S	2	0.694	-0.159	0.027	-0.043	0.023	0.510
GDS-S	3	0.782	0.041	0.088	-0.037	-0.003	0.622
GDS-S	4	0.816	-0.162	0.147	-0.072	-0.012	0.719
GDS-S	5	0.771	0.069	0.050	-0.105	0.037	0.614
GDS-S	6	0.577	-0.153	0.326	-0.063	0.061	0.470
GDS-S	7	0.633	0.060	0.306	-0.059	-0.046	0.504
GDS-S	8	0.575	-0.003	0.169	-0.057	0.144	0.383
GDS-S	9	0.666	-0.347	0.035	-0.023	0.131	0.582
GDS-S	10	0.606	-0.131	0.022	-0.015	0.045	0.388
GDS-S	11	0.608	-0.204	0.183	0.005	0.005	0.445
GDS-S	12	0.556	-0.405	0.114	-0.094	0.188	0.531
GDS-S	13	0.691	-0.208	0.188	-0.002	0.182	0.589
GDS-S	14	0.461	0.135	0.255	-0.138	-0.202	0.356
GDS-S	15	0.759	0.024	0.048	-0.065	0.028	0.584
Variance explained		25.83%	9.84%	8.30%	6.86%	6.17%	

Note:

Bold numbers show the largest factor loading for each item. WGI-Items were not presented in this order to the subjects, but are rearranged according to subscale to ease comparisons.

Table E2: Partial and semipartial correlations of grief (subscales of WGI) with depression (GDS-S)

	male subjects (n=100)		female subjects (n=295)	
	partial	semipartial	partial	semipartial
impairments	.579	.464	.720	.577
growth	-.098	-.098	-.126	-.071
Guilt	.221	.221	.145	.082
empathy	-.168	-.168	-.050	-.028
nearness	.151	.151	.001	.000